

SS BOLLARD

AL-Bolad



All 316 Stainless Steel 2mm Thickness

Stainless Steel Root Mount

IK10 PC Cover

IK6 Glass Cover

Waterproof Meanwell Driver

Sealed Head with 4 Weep Valves



Product Code	AL-Bolad-6W	AL-Bolad-9W	AL-Bolad-12W	AL-Bolad-18W
LED Brand	CREE	CREE	CREE	CREE
LED Quantity	6 pcs	9 pcs	12 pcs	18 pcs
Rated Power	6W	9W	12W	18W
Input Voltage	AC220-240V/DC24V	AC220-240V/DC24V	AC220-240V/DC24V	AC220-240V/DC24V
Frequency Range	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Colour	Single	Single	Single	Single
Beam Angle	360°	360°	360°	360°
Control Mode	On/Off	On/Off	On/Off	On/Off
Life	50000H	50000H	50000H	50000H
IP Rating	IP66	IP66	IP66	IP66
Ambient Temperature	-25°C ~ 50°C	-25°C ~ 50°C	-25°C ~ 50°C	-25°C ~ 50°C
Ambient Humidity	10% ~90%	10% ~90%	10% ~90%	10% ~90%
Dimension D*H(mm)	170/900mm	170/900mm	170/900mm	170/900mm
Colour Temp	3000-6500K	3000-6500K	3000-6500K	3000-6500K

